

## Shin-I S-B17SL

### bordonadora

Bordonadora horizontal usada de calidad con 4 cabezales.



### Especificaciones técnicas

<b>CazProductNumber EMPRESA</b>	5193
<b>Nombre</b>	Shin-I S-B17SL
<b>Herramientas</b>	127 mm
<b>Año de construcción</b>	1993
<b>Altura mínima del envase</b>	180 mm
<b>Altura máxima del envase</b>	280 mm
<b>Diámetro mínimo de la lata / tapas</b>	127 mm
<b>Diámetro máximo de la lata / tapas</b>	178 mm
<b>Forma del envase</b>	round
<b>Velocidad hasta</b>	120 cans per minute

### Videos

No hay vídeos disponibles para este producto.

### Fotos



## 自動滾加強環機 AUTOMATIC BEADING MACHINE

S-B17S 系列自動滾加強環機採用臥式設計，特別加強滾筒之結構強度而使用 V 形滾板設計，使補強環紋均勻動一深淺一致。使用 4 對或 8 對滾加強輪，適用範圍廣，加上多層安全系統以及維修模型極簡便快速，使本系列滾加強環機成爲中國加強環機最佳選擇。

S-B17S series beader with horizontal design for can body beading. Special V roller driven by cylinder cam for can end roller can only increase can body strength and reduce plate cost. Equipped with lining roller and sensor for body feeding. This improvement make it more easy for operating and adjustment. It is the reason why S-B17S series beader are one of best beader in world.

# S-B17A S-B17S(L)

Complies with  
**ISO-9001**  
Quality Management System



新益機械工廠股份有限公司  
SHIN-I MACHINERY WORKS CO., LTD.

